


Township N<sup>o</sup> 21 N, Range N<sup>o</sup> 6 E, 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 395 395 395 395 394 394



Township N. 21 North, Range N. 6 East 2. Mer. Ind.<sup>a</sup> 391

## Township Lines.

Chs. Lk. South Boundary

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Buckeye 9 in. dia. bears N 24 E 9 W. dist. 4

a Sugar 24 " " " S 18 W 40 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 12 in. dia. bears N 39 W 12 W. dist. 8

an Ironwood 8 " " " S 71 E 15 " "

---

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 70 W 16 W. dist. 8

a Do 16 " " " S 46 W 25 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 16 in. dia. bears N 21 — 14 W. dist. 8

a Hickory 12 " " " S 12 W 21 " "

---

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a Maple 18 in. dia. bears S 77 E 22 W. dist.

(No other Bearing tree)

80.00 set post cor. of sec. 33 & 34 from which

a Beech 20 in. dia. bears N 4 E 39 W. dist. 8

a Do 18 " " " S 21 W 77 " "

---

West on the S. Boundary of Sec. 33

40.00 set of sec. post from which

a Hornbeam 6 in. dia. bears N 17 E 17 W. dist. 4

a Beech 14 " " " S 60 W 38 " "

80.00 set post cor. of sec. 32 & 33 from which

a Sugar 18 in. dia. bears S 15 W 15 W. dist. 8

a Beech 14 " " " N 88 E 21 " "

---

West on the S. Boundary of Sec. 32

40.00 set of sec. post from which

*T. 21 N., R. 6 E. 2<sup>d</sup> Mer. Ind.*  
*Ch. Sk.*

a Beech 24 in. dia. bears S 68 E 7 Ws. dist. 8  
 a Do 18 " " " N 68 W 9 " "  
 80.00 set post cor. of sec. 31 & 32 from which  
 a Hawth 8 in. dia. bears S 22 E 9 Ws. dist. 8  
 an Ironwood 9 " " " S 38 W 12 " "

*West on the S. Boundary of Sec. 31*

40.00 set g. sec. post from which  
 an Ash 9 in. dia. bears S 60 W 8 Ws. dist. 8  
 a Bur Oak 30 " " " N 30 E 6 " "  
 82.00 Intersect W. Boundary 13.00 Ch. S. of temp. post -  
 set post at intersection cor. of T. 20 & 21 N., R. 5 & 6 E.  
 from which  
 a Hickory 12 in. dia. bears N 58 W 27 Ws. dist. 8  
 a Beech 12 " " " N 82 E 33 " "

*East Boundary. Var. 5.50 E.*

Bearings at cor. of T. 20 & 21 N., R. 6 & 7 E.:

a Buckeye 12 in. dia. bears N 51 E 24 Ws. dist. 8  
 a Beech 14 " " " S 61 W 23 " "

*North on the E. Boundary of Sec. 36*

18.10 a Hackberry 24 in. dia.

20.00 a creek 75 Ws. wide runs SW

40.00 set g. sec. post from which

a Beech 18 in. dia. bears North 5 Ws. dist. 8

a Sugar 30 " " " S 13 W 42 " "

60.00 a Beech 24 " "

80.00 set post cor. of sec. 25 & 36 from which

an Elm 14 in. dia. bears N 35 W 13 Ws. dist. 8

a Do 10 " " " N 12 E 18 " "

Rich land. Timber Ash, Buckeye, Walnut  
 & Sugar. Upr. Spice

*North on the E. Boundary of Sec. 25*

32.07 a Beech 24 in. dia.

40.00 set g. sec. post from which

*T. 21 N., R. 6 E., Mer. Ind.?*  
*Chr. 1820*

- a R. Oak 10 in. dia. bears N 26° W 11 lbs. dnt. 8  
 an Ironwood 8 " " S 1° E 9 " "  
 67.38 a Poplar 42 " "  
 78.58 a Brook 15 lbs. wide runs SW  
 80.00 set part cor. of sec. 24 & 25 from which  
 a Hickory 9 in. dia. bears N 28° W 15 lbs. dnt. 8  
 a Linn 10 " " S 67° E 10 " "  
 Land &c same as last described. Jan. 31. 1820

*North on the E. Boundary of Sec. 24*

- 16.20 an Ash 24 in. dia.  
 40.00 set of sec. part from which  
 a Hornbeam 8 in. dia. bears S 80° W 4 lbs. dnt. 8  
 a Beech 26 " " S 37° E 27 " "  
 61.76 a Beech 18 " "  
 80.00 set part cor. of sec. 13 & 24 from which  
 an Elm 10 in. dia. bears S 79° E 14 lbs. dnt. 8  
 a Do 10 " " N 88° W 14 " "  
 Land &c same as last described.

*North on the E. Boundary of Sec. 13*

- 19.96 a Bur Oak 42 in. dia.  
 40.00 set of sec. part from which  
 an Ash 12 in. dia. bears N 47° E 3 lbs. dnt. 8  
 a Do 9 " " S 48° E 16 " "  
 80.00 set part cor. of sec. 12 & 13 from which  
 a Coffeenut 10 in. dia. bears S 18° W 9 lbs. dnt. 8  
 a Hickory 12 " " S 63° E 31 " "  
 Land &c same as last described.

*North on the E. Boundary of Sec. 12*

- 17.60 an Elm 24 in. dia.  
 40.00 set of sec. part from which  
 a Beech 12 in. dia. bears N 63° W 4 lbs. dnt. 8  
 a Do 9 " " S 52° W 3 " "  
 62.00 a Sugar 20 " "



T. 21 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>  
Chs. & Co.

80.00 set post cor. of sec. 1 & 12 from which  
a Beech 18 in. dia. bears N 58° W 12 Mk. dist. 8  
an Ash 15 " " S 78° E 14 " "  
Land &c. same as last described.

North on the E. Boundary of Sec. 1

23.65 a Beech 36 in. dia.

40.00 set gr. sec. post from which  
a W. Ash 12 in. dia. bears N 34° E 14 Mk. dist. 8  
an Elm 20 " " S 10° E 18 " "

51.90 an Ash 20 " "

80.00 set temp. post for cor. of T. 21 & 22 N., R. 6 & 7 E.  
(Description of land &c. omitted.)

North Boundary. Var. 6° 15' E.

Bearings at corner of T. 21 & 22 N., R. 6 & 7 E.

a W. Oak 10 in. dia. bears S 27° E 5 Mk. dist. 8  
an Ash 10 " " N 48° W 15 " "

West on the S. Boundary of Sec. 30, T. 22 N., R. 6 E

40.00 set gr. sec. post from which  
a Gum 12 in. dia. bears S 87° W 20 Mk. dist. 8  
an Ash 10 " " S 40° E 21 " "

80.00 set post cor. of sec. 35 & 36 from which  
an Ash 10 in. dia. bears S 43° W 5 Mk. dist. 8  
an Elm 18 " " S 59° E 14 " "

Rich land. Timber Beech, Sugar, Ash, Elm,  
&c. &c. Spice

West on the S. Boundary of Sec. 35, T. 22 N., R. 6 E

40.00 set gr. sec. post from which  
a Beech 8 in. dia. bears S 5° E 6 Mk. dist. 8  
an Ash 10 " " S 35° E 27 " "

80.00 set post cor. of sec. 34 & 35 from which  
an Ash 24 in. dia. bears S 27° E 5 Mk. dist. 8  
a Do 8 " " N 70° W 8 " "  
Land &c. same as last described.

T. 21 N., R. 6 E., 2<sup>d</sup> Mer. Ind.

Chas. L. H.

West on the S. Boundary of Sec. 34, T22 N, R6 E

40.00 set of sec. post from which

a W. Oak 24 in. dia. bears N 76 4 W 15 Ws. dist. 8

a Poplar 12 " " " S 3 4 W 19 " "

80.00 set post cor. of sec. 33 & 34 from which

an Ash 10 in. dia. bears N 70 E 7 Ws. dist. 8

a Beech 8 " " " S 1 4 W 11 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 33, T22 N, R6 E

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 64 W 15 Ws. dist. 8

a Do 8 " " " N 71 E 18 " "

80.00 set post cor. of sec. 32 & 33 from which

an Elm 18 in. dia. bears S 65 W 6 Ws. dist. 8

an Ash 10 " " " N 65 E 21 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 32, T22 N, R6 E

40.00 set of sec. post from which

a W. Oak 12 in. dia. bears N 66 W 10 Ws. dist. 8

an Elm 8 " " " S 62 W 10 " "

80.00 set post cor. of sec. 31 & 32 from which

an Elm 8 in. dia. bears N 23 E 21 Ws. dist. 8

a Maple 36 " " " N 22 W 27 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 31, T22 N, R6 E

32.40 Intersect S. Boundary of Miami Reservation,

set post from which

a Lynn 12 in. dia. bears N 75 E 21 Ws. dist. 8

an Ash 8 " " " S 3 4 W 16 " "

Land &c. same as last described.

West Boundary. Var. 5.36. E

North on the E. Boundary of Sec. 36, T21 N, R5 E

T. 21 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Sk?

- 40.00 set of sec. post from which  
an Ash 7 in. dia. beam S 44° W 12 1/2 kts. dist. 8  
a Do 10 " " " N 76° W 12 " "
- 80.00 set post cor. of sec. 25 & 36 from which  
an W. Oak 36 in. dia. beam S 85° E 25 kts. dist. 8  
a Hornbeam 6 " " " S 89° W 13 " "  
Land 2<sup>d</sup> rate. Timber Ash, Oak & Spice & Hawth

North on the E. Boundary of Sec. 25, T. 21 N., R. 5 E

- 40.00 set of sec. post from which  
a Pin Oak 6 in. dia. beam N 44° E 4 kts. dist. 8  
an Ash 24 " " " N 82° E 7 " "
- 80.00 set post cor. of sec. 24 & 25 from which  
an Ash 12 in. dia. beam S 19° E 5 kts. dist. 8  
a Do 8 " " " N 8° E 28 " "  
Land & same as last described.

North on the E. Boundary of Sec. 24, T. 21 N., R. 5 E

- 40.00 set of sec. post from which  
an Ash 12 in. dia. beam N 20° E 17 kts. dist. 8  
a Do 18 " " " S 70° W 14 " "
- 80.00 set post cor. of sec. 13 & 24 from which  
a Pin Oak 20 in. dia. beam N 38° W 3 kts. dist. 8  
a Do 24 " " " S 37° W 17 " "  
Land & same as last described.

North on the E. Boundary of Sec. 13, T. 21 N., R. 5 E

- 40.00 set of sec. post from which  
a Pin Oak 12 in. dia. beam N 25° W 19 kts. dist. 8  
a Do 36 " " " S 13° E 19 " "
- 80.00 set post cor. of sec. 12 & 13 from which  
a Beech 12 in. dia. beam N 36° W 37 kts. dist. 8  
a Buckeye 18 " " " S 45° W 11 " "  
Land & same as last described

North on the E. Boundary of Sec. 12, T. 21 N., R. 5 E

*T. 21 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>*  
*Ch. 1<sup>st</sup>*

40.00 set of sec. part from which  
 a Sugar 18 in. dia. bears West 22<sup>1</sup>/<sub>2</sub> M. dist. &  
 a Do 30 " " " S 80 E 21 " "  
 80.00 set part cor. of sec. 1 & 2 from which  
 a Beech 8 in. dia. bears N 44 W 13 M. dist. &  
 a Do 18 " " " S 65 W 30 " "  
 Good 2<sup>d</sup> rate land. Timber Beech & Sugar.  
 Upr. Spice

*North on the E. Boundary of Sec. 1, T 21 N, R 5 E.*

40.00 set of sec. part from which  
 a W. Elm 15 in. dia. bears N 13 W 16 M. dist. &  
 a Do 12 " " " S 32 E 22 " "  
 70.40 Intersect S. Boundary of Miami Reservation,  
 set part from which  
 a Syc 15 in. dia. bears N 35 E 46 M. dist. &  
 a Hickory 12 " " " S 39 W 43 " "  
 Land level & wet, fallen timber Oak, Ash, Elm  
 January 5. 1820. John W. Donald  
 Deputy Surveyor.

### *Subdivision. Var. 5. 36. E.*

*North between Sec. 35 & 36*

40.00 set of sec. part from which  
 an Ironwood 10 in. dia. bears N 60 W 30 M. dist. &  
 a Beech 10 " " " N 75 E 13 " "  
 80.00 set part cor. of sec. 25, 26, 35 & 36 from which  
 a Beech 18 in. dia. bears S 25 E 36 M. dist. &  
 a Do 12 " " " N 55 W 12 " "  
 Land 1<sup>st</sup> rate rolling. Timber Beech, Sugar,  
 Ash. Upr. Spice

*East on Random between Sec. 25 & 36*

40.00 set temp. of sec. part  
 79.00 Intersect E. Boundary 100 M. S. of part -  
 Land level 2<sup>d</sup> rate. Beech, Ash, Oak. Spice



T. 21 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 E. & P.

West Corrected between Sec. 25 & 26

39.50 set of sec. post at aver. dint. from which  
 a W. Oak 50 in. dia. bears S 28 E 26 Yds. dint. S  
 a Beech 18 " " " N 54 E 31 " "

79.00 to sec. cor.

---

North between Sec. 25 & 26

3.50 a Brook 10 Yds. wide course W

40.00 set of sec. post from which

a Buckeye 10 in. dia. bears S 76 E 16 Yds. dint. S  
 an Ash 6 " " " N 13 W 12 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Gum 13 in. dia. bears S 25 E 40 Yds. dint. S

a Sugar 18 " " " S 21 W 45 " "

Land level & wet. Timber Beech, Ash, Oak  
 Upr. Spice

---

East on Random between Sec. 24 & 25

78.50 Intersect E. Boundary at post—

Land level 2<sup>d</sup> rate. Ash, Oak, Beech, Spice

---

West Corrected between Sec. 24 & 25

39.25 set of sec. post at aver. dint. from which

a Sugar 12 in. dia. bears N 23 W 26 Yds. dint. S

a Beech 10 " " " S 50 E 28 " "

78.50 to sec. cor.

---

North between Sec. 23 & 24

40.00 set of sec. post from which

a Sugar 21 in. dia. bears N 49 W 5 Yds. dint. S

a Beech 8 " " " N 80 E 15 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a W. Oak 20 in. dia. bears N 10 W 30 Yds. dint. S

a Beech 13 " " " S 25 E 16 " "

Land level & wet. Timber Oak, Ash, Beech.  
 Upr. Spice

---



*T. D. N., R. O. O. I. Mer. Ind.*

*Ch. Gr.*

*East on Random between Sec. 13 & 24*

*40.00 set temp. of sec. post*

*79.00 Intersect E. Boundary 48 Ws. S. of post -*

*Land level & wet. Beech, Ash, Oak, Spice*

*West Corrected between Sec. 13 & 24*

*39.50 set of sec. post at aver. dirt. from which*  
*a Beech 12 in. dia. bears N 23° W 12 Ws. dirt .8*

*a Do 10 " " " S 55° W 39 " "*

*79.00 to sec. cor.*

*North between Sec. 13 & 14*

*40.00 set of sec. post from which*

*a Beech 13 in. dia. bears N 35° E 9 Ws. dirt .4*

*a Do 10 " " " S 29° W 30 " "*

*80.00 set post cor. of sec. 11, 12, 13 & 14 from which*

*a Beech 18 in. dia. bears N 40° E 20 Ws. dirt .8*

*a Do 18 " " " N 25° W 13 " "*

*Land level & wet. Timber Oak, Ash, Elm*

*East on Random between Sec. 12 & 13*

*40.00 set temp. of sec. post*

*80.50 Intersect E. Boundary 37 Ws. N. of post -*

*Land wet & flat. Oak, Ash, Elm. Spice*

*West Corrected between Sec. 12 & 13*

*40.25 set of sec. post at aver. dirt. from which*

*an Elm 25 in. dia. bears S 35° W 15 Ws. dirt .8*

*a P. Oak 12 " " " N 65° E 19 " "*

*80.50 to sec. cor.*

*North between Sec. 11 & 12*

*26.00 Intersect Swamp 150 Ws. wide course SW*

*40.00 set of sec. post from which*

*a Beech 18 in. dia. bears N 48° W 15 Ws. dirt .8*

*a Do 12 " " " N 15° E 36 " "*

T. 21 N., R. 6 E., 2. Mer. Ind. a

Ch. Lk.

80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
a Maple 15 in. dia. bears N 27° W 23 Ws. dist. 2  
a Bur Oak 12 " " " N 81° E 18 " "  
Level 2<sup>nd</sup> rate land. Timber Ash, Oak, Hickory.  
Wly. Prickly Ash

East on Random between Sec. 1 & 12

40.00 set temp. gr. sec. post

79.00 Intersect E. Boundary at post—

Land level sweet. Ash, Maple, Beech, Spice

West Corrected between Sec. 1 & 12

39.50 set gr. sec. post at aver. dist. from which  
an Ash 15 in. dia. bears S 50° E 11 Ws. dist. 2  
a Do 13 " " " N 19° W 18 " "

79.00 to sec. cor.

North between Sec. 1 & 2

40.00 set gr. sec. post from which

an Elm 20 in. dia. bears N 30° W 16 Ws. dist. 2  
a Sap. Ash 8 " " " S 56° E 7 " "

78.00 Intersect N. Boundary 4 Ws. N. of post—

set post at intersection cor. of sec. 1 & 2 from wh.

a Sap. Ash 10 in. dia. bears S 80° W 5 Ws. dist. 2  
an Elm 18 " " " S 51° E 13 " "

Land level 2<sup>nd</sup> rate. Ash, Oak, Sugar, Spice

North between Sec. 34 & 35

40.00 set gr. sec. post from which

a Beech 24 in. dia. bears N 89° W 50 Ws. dist. 2  
a Do 18 " " " N 48° E 35 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Blue Ash 15 in. dia. bears N 30° W 23 Ws. dist. 2

a Beech 10 " " " N 45° E 34 " "

Land level 2<sup>nd</sup> rate. Ash, Oak, Beech, Spice

*J. D. N., P. O. O. 2<sup>d</sup> Mer. Ind.<sup>a</sup>*  
*Chr. Ek.*

East on Random between Sec. 26 & 35

6.50 a Stream 20 Ws. w'de course S.

40.00 set temp. of sec. post

80.00 Intersect N & S. line at post =

Land level 2<sup>d</sup> rate, Timber Ash, Oak, Sugar

---

West Corrected between Sec. 26 & 35

40.00 set of sec. post at aver. dist. from which

a Ash 12 in. dia. bears N 70° W 43 Ws. dist. 3

a Do 10 " " " S 82° W 33 " "

80.00 to sec. cor.

---

North between Sec. 26 & 27

40.00 set of sec. post from which

a Buckeye 16 in. dia. bears S 42° E 15 Ws. dist. 3

a W. Elm 18 " " " N 15° W 24 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Ash 23 in. dia. bears N 36° E 17 Ws. dist. 3

a Hickory 12 " " " N 65° W 9 " "

Land level 2<sup>d</sup> rate. Beech, Ash, Elm, Spruce

---

East on Random between Sec. 23 & 26

40.00 set temp. of sec. post

80.42 Intersect N & S. line 75 Ws. N. of post =

Land level 2<sup>d</sup> rate, Ash, Oak, Elm, Spruce

---

West Corrected between Sec. 23 & 26

40.21 set of sec. post at aver. dist. from which

a W. Oak 13 in. dia. bears N 37° E 21 Ws. dist. 3

a Do 10 " " " S 32° E 18 " "

80.42 to sec. cor.

---

North between Sec. 22 & 23

13.00 enter Swamp

40.00 set of sec. post in Swamp, no trees

45.00 leave Swamp

T. 21 N., R. 6 E., S. 2 Mer. Ind.<sup>a</sup>

Chr. Chr.

80.00 set post cor of sec. 14, 15, 22 & 23 from which  
 a Bur Oak 12 in. dia. bears N 78° W 23 lbs. dist. 3  
 a W. Beech 4 " " " S 25° E 3 " "  
 Level 4 ft land. Maple & Syp. Ash. Alder

## East on Random between Sec. 14 &amp; 23

28.50 enter Swamp

40.00 set temp. of sec. post

45.50 leave Swamp

80.50 Intersect N &amp; S. line at post -

Land level &amp; wet. Swamp Ash &amp; Maple. Alder

## West Corrected between Sec. 14 &amp; 23

40.25 set of sec. post at aver. dist. in Swamp no trees  
 convenient.

80.50 to sec. cor.

## North between Sec. 14 &amp; 15

11.00 enter Swamp

28.50 leave "

40.00 set of sec. post from which

a R. Elm 12 in. dia. bears S 25° E 19 lbs. dist. 3

a Do 13 " " " N 54° W 8 " "

80.00 set post cor. of sec. 10, 11, 14 &amp; 15 from which

a Buckeye 6 in. dia. bears N 53° E 20 lbs. dist. 2

a Hickory 8 " " " S 53° E 29 " "

Land level &amp; rate. Ash, Oak, Hickory. Spice

## East on Random between Sec. 11 &amp; 14

23.00 a Brook 10 lbs. wide course S.

40.00 set temp. of sec. post

80.50 Intersect N &amp; S. line 100 lbs. E. of post -

Land level &amp; rate. Timber Oak, Hickory, Sugar,

Wp. Spice &amp; Prickly Ash

## West Corrected between Sec. 11 &amp; 14



T. 21 N., R. 6 E., 2<sup>d</sup> Mer. Ind. 4<sup>th</sup>  
 C. W. Skiff

40.25 set of sec. post at aver. dint. from which  
 a Buckeye 10 in. dia. bears N 85° W 37 Ws. dint. 8  
 a Beech 12 " " " S 61° W 41 " "  
 80.50 to sec. cor.

North between Sec. 10 & 11

40.00 set of sec. post from which  
 a Beech 15 in. dia. bears N 21° E 36 Ws. dint. 8  
 a Sugar 15 " " " N 38° W 18 " "  
 80.00 set post cor. of Sec. 2, 3, 10 & 11 from which  
 a Beech 15 in. dia. bears N 38° E 8 Ws. dint. 8  
 a Do 8 " " " S 70° W 38 " "  
 Land level 2<sup>d</sup> rate. Oak, Sugar, Beech. Spice.

East on Random between Sec. 2 & 11

46.00 set temp. of sec. post  
 78.50 Intersect N. & S. line 25 Ws. S. of post -  
 Land level 2<sup>d</sup> rate. Timber Ash, Oak, Hickory

West Corrected between Sec. 2 & 11

39.25 set of sec. post at aver. dint. from which  
 a W. Elm 12 in. dia. bears S 22° W 11 Ws. dint. 8  
 a Br. Ash 13 " " " N 78° W 20 " "  
 78.50 to sec. cor.

North between Sec. 2 & 3

40.00 set of sec. post from which  
 an Ash 18 in. dia. bears N 34° W 25 Ws. dint. 8  
 a Do 10 " " " N 15° E 39 " "  
 62.00 a stream 15 Ws. wide course W.  
 82.30 Intersect N. Boundary 300 Ws. E. of post -  
 set post at intersection cor. of Sec. 2 & 3 from which  
 a W. Elm 25 in. dia. bears S 40° W 12 Ws. dint. 8  
 a Lym 13 " " " N 80° E 12 " "  
 Land level 2<sup>d</sup> rate. Timber Ash, Oak, Hickory  
 Upr. Spice



## T. 21 N., R. 6 E. 2. Mer. Ind. a.

Ch. Sp.

North between Sec. 33 &amp; 34

10.50 enter Swamp

18.50 leave "

40.00 set of sec. post from which

a R. Oak 12 in. dia. bears N 19 E 29 W. dist. 2

an Ash 15 " " " N 15 W 40 " "

80.00 set post cor. of sec. 27, 28, 33 &amp; 34 from which

an Ash 12 in. dia. bears N 3 E 44 W. dist. 2

a Do 10 " " " N 34 W 53 " "

Land level wet. Ash, Oak, Hickory, Spice

East on Random between Sec. 27 &amp; 34

36.00 enter Swamp

40.00 set temp. of sec. post

44.00 leave Swamp

80.00 Intersect N. G. line at post—

Land level wet. Oak, Ash, Elm, Spice

West Corrected between Sec. 27 &amp; 34

40.00 set of sec. post at aver. dist. in Swamp, no trees

80.00 to sec. cor.

North between Sec. 27 &amp; 28

40.00 set of sec. post from which

an Ash 8 in. dia. bears N 78 W 14 W. dist. 2

an Ironwood 8 " " " S 20 E 7 " "

80.00 set post cor. of sec. 21, 22, 27 &amp; 28 from which

a Sugar 10 in. dia. bears N 27 E 5 W. dist. 2

a Do 13 " " " N 31 W 50 " "

Land level 2. rate. Beech, Sugar, Ash, Spice

East on Random between Sec. 22 &amp; 27

40.00 set temp. of sec. post

80.15 Intersect N. G. line 50 W. N. of post—

Land level wet. Ash, Oak, Cottonwood

*T. M. N., R. O. L. Mer. Ind.<sup>a</sup>*  
*Ch. S. M.*

West Connected between Sec. 22 & 27

40.07½ set gr. sec. post at aver. dist. from which  
 a Sugar 20 in. dia. bears S 75 E 23 W. dist. 8  
 an Elm 18 " " " N 53 E 40 " "

80.15 to sec. cor.

North between Sec. 21 & 22

10.00 a Brook 10 W. wide curve W

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears S 45 E 19 W. dist. 8  
 a Do 20 " " " S 87 W 20 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which  
 an Ash 12 in. dia. bears S 35 W 19 W. dist. 8  
 a Beech 18 " " " N 88 E 23 " "  
 Land 2. rate rolling. Timber Oak, Hickory,  
 Sugar, Wyr. Spice

East on Random between Sec. 15 & 22

40.00 set temp. gr. sec. post

41.00 a Stream 15 W. wide curve S.

80.20 Intersect N & S. line 50 W. S. of post -

Land rolling 2 rate. Timber Beech, Sugar,  
 Ash. Wyr. Spice

West Connected between Sec. 15 & 22

40.10 set gr. sec. post at aver. dist. from which

a Beech - in. dia. bears N 13 E 22 W. dist. 8  
 a Do 18 " " " S 30 E 14 " "

80.20 to sec. cor.

North between Sec. 15 & 16

40.00 set gr. sec. post from which

a Swp. Ash 18 in. dia. bears N 44 E 27 W. dist. 8  
 an Ash 10 " " " N 30 W 37 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
 a Beech 10 in. dia. bears N 24 E 45 W. dist. 8

T. 21 N., R. 6 E., S. 2 Mer. Ind.<sup>a</sup>  
 E. W. L. H.

a Hickory 12 in. diam. beam N 11° W 60 Yds. dist.  
 Land level 2 rate, Beech, Sugar, Ash, Spice

East on Random between Sec. 10 & 15

40.00 set temp. of sec. post

80.00 Intersect N & S. line at post

Land level 2 rate, Beech, Ash, Oak, Spice

West Corrected between Sec. 10 & 15

40.00 set of sec. post at aver. dist. from which  
 a Pop. Ash 10 in. diam. beam S 86° E 5 Yds. dist. &  
 a Do 6 " " " S 35° W 7 " "

80.00 to sec. cor.

North between Sec. 10 & 15

10.00 a Brook 10 Yds. wide come W

40.00 set of sec. post from which

a W. Elm 20 in. diam. beam N 65° E 9 Yds. dist. &  
 a Water Beech 6 " " " N 75° W 37 " "

80.00 set post cor. of sec. 3 & 4, 10 from which  
 a W. Oak 36 in. diam. beam N 15° E 17 Yds. dist. &  
 a Sugar 15 " " " N 28° W 34 " "  
 Land level 2 rate, Beech, Sugar, Ash, Spice

East on Random between Sec. 3 & 10

40.00 set temp. of sec. post

59.50 a Stream 15 Yds. wide come S.

80.40 Intersect N & S. line 50 Yds. N. of post

Land level 2 rate, Beech, Sugar, Ash, Spice

West Corrected between Sec. 3 & 10

40.20 set of sec. post at aver. dist. from which

a Sugar 30 in. diam. beam N 12° W 27 Yds. dist. &  
 a Do 12 " " " S 18° E 21 " "

80.40 to sec. cor.

T. J. N., R. O. E. I. Mer. Ind. a  
 Ch. Lk.

North between Sec. 32 & 34

40.00 set of sec. post from which

a Hickory 10 in. dia. bears N40°W28 Wks. dist. 2

a Gum 20 " " " S56°E9 " "

79.17 Intersect N. Boundary 300 Wks. E. of post -

set post at intersection cor. of sec. 32 & 34 from which

a Gum 15 in. dia. bears S33°E50 Wks. dist. 2

an Ash 12 " " " S30°W40 " "

Land level 2<sup>d</sup> rate. Beech, Sugar, Ash, Spice

North between Sec. 32 & 33

22.00 at Brook 6 Wks. wide course W.

40.00 set of sec. post from which

a Sugar 30 in. dia. bears S12°E25 Wks. dist. 2

an Elmwood 5 " " " S60°W12 " "

49.00 at Creek 50 Wks. wide course W

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Beech 20 in. dia. bears N58°E16 Wks. dist. 2

a Do 10 " " " N10°W9 " "

Land rolling 2<sup>d</sup> rate. Beech, Ash, Oak, Spice

East on Random between Sec. 28 & 33

8.00 at Creek 50 Wks. wide course S.

40.00 set temp. of sec. post

80.00 Intersect N. & S. line 50 Wks. E. of post -

Land 2<sup>d</sup> rate rolling. Timber Beech, Ash,

Oak, Upr. Spice

West Connected between Sec. 28 & 33

40.00 set of sec. post at aver. dist. from which

a W. Ash 20 in. dia. bears S53°W11 Wks. dist. 2

a W. Beech 5 " " " N30°W26 " "

80.00 to Sec. cor.

North between Sec. 28 & 29

20.00 a Stream 25 Wks. wide course SE



*T. D. N., R. C. E. I. Mer. Ind.<sup>a</sup>*  
*Chs. I. K.*

40.00 set of sec. part from which  
 a Sugar 12 in. dia. beam N57W12 Wks. dint. 8  
 a Beech 12 " " " N63E13 " "  
 80.00 set part cor. of sec. 20, 21, 28 & 29 from which  
 a Beech 12 in. dia. beam N70W23 Wks. dint. 8  
 a Dr 10 " " " N85E40 " "  
 Land 2<sup>nd</sup> rate rolling. Timber Beech, Sugar,  
 Ash, Upr. Spruce

---

*East on Random between Sec. 21 & 28*

40.00 set temp. of sec. part  
 60.50 a Stream 25 Wks. wide curve S.  
 80.10 Intersect N & S. line at 5 Wks. S. of part -  
 Land 2<sup>nd</sup> rate land. Beech, Ash, Oak, Spruce

---

*West Connected between Sec. 21 & 28*

40.05 set of sec. part at aver. dint. from which  
 a Beech 10 in. dia. beam N63W14 Wks. dint. 8  
 a W. Elm 12 " " " S42W32 " "  
 80.10 to sec. cor.

---

*North between Sec. 20 & 21*

40.00 set of sec. part from which  
 a Beech 18 in. dia. beam N80E63 Wks. dint. 8  
 a Sugar 18 " " " N82W60 " "  
 80.00 set part cor. of sec. 16, 17, 20 & 21 from which  
 a Beech 20 in. dia. beam S16W14 Wks. dint. 8  
 a Dr 18 " " " S37E27 " "  
 Land 3<sup>rd</sup> rate rolling. Beech, Ash, Oak, Spruce

---

*East on Random between Sec. 16 & 21*

40.00 set temp. of sec. part  
 42.50 a Stream 25 Wks. wide curve S.  
 79.83 Intersect N & S. line at part -  
 Land 2<sup>nd</sup> rate rolling. Timber Beech, Ash,  
 Oak, Upr. Spruce

---



T. 21 N., R. 6 E., S. 2 Mer. Ind. a

Chs. 3K?

West Connected between Sec. 16 & 21

39.91 $\frac{1}{2}$  set q. sec. post at aver. dist. from which  
an Elm 12 in. dia. bears N15 $^{\circ}$ W23 $^{\circ}$  W. dist. 2,  
a Beech 8 , , , S65 $^{\circ}$ E31 , ,

79.83 to sec. cor.

---

North between Sec. 16 & 17

40.00 set q. sec. post from which  
an Ash 10 in. dia. bears S80 $^{\circ}$ E18 $^{\circ}$  W. dist. 2  
a Poplar 30 , , , S62 $^{\circ}$ W32 , ,

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
a Hickory 18 in. dia. bears N25 $^{\circ}$ E11 $^{\circ}$  W. dist. 2  
a Do 8 , , , N15 $^{\circ}$ W16 , ,  
Land level 2 $^{\circ}$  rate. Beech, Ash, Oak, Spice

---

East on Random between Sec. 9 & 16

40.00 set temp. q. sec. post

72.00 a Stream 15 W. wide course S.

80.00 Intersect N. S. line at post—

Land level 2 $^{\circ}$  rate. Oak, Beech, Ash, Spice

---

West Connected between Sec. 9 & 16

40.00 set q. sec. post at aver. dist. from which  
a Beech 10 in. dia. bears S89 $^{\circ}$ W53 $^{\circ}$  W. dist. 2  
a Sugar 18 , , , N10 $^{\circ}$ W11 , ,

80.00 to sec. cor.

---

North between Sec. 8 & 9

40.00 set q. sec. post from which  
a Sup. Ash 8 in. dia. bears N61 $^{\circ}$ E6 $^{\circ}$  W. dist. 2  
a Bur Oak 30 , , , N72 $^{\circ}$ W9 , ,

80.00 set post cor. of sec. 4, 5, 8 & 9 from which  
a Sugar 12 in. dia. bears N45 $^{\circ}$ E20 $^{\circ}$  W. dist. 2  
a Lym 6 , , , S55 $^{\circ}$ W15 , ,  
Land level 2 $^{\circ}$  rate. Ash, Oak, Hickory, Spice

---

T. 21 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Chs. 1<sup>st</sup>

East on Random between Sec. 4 &amp; 9

40.00 set temp. q. sec. post

79.50 Intersect N. &amp; S. line at post—

Land level sweet. Elm, Hickory, Beech. Spice

West Connected between Sec. 4 &amp; 9

39.75 set q. sec. post at arca. dint. from which  
a Slop. Ash 8 in. dia. bears N 30 E 13 1/2 M. dint. 8  
a Do 6 " " " S 50 E 10 " "

79.50 to sec. cor.

North between Sec. 4 &amp; 5

40.00 set q. sec. post from which

a W. Oak 12 in. dia. bears S 36 E 11 1/2 M. dint. 4

a Sugar — " " " N 13 W 29 " "

78.50 Intersect N. Boundary 419 M. E. of post—

set post at intersection cor. of sec. 4 &amp; 5 from which

an Elm 20 in. dia. bears S 16 W 41 M. dint. 8

a Slop. Ash 8 " " " S 27 E 22 " "

Land level sweet. Oak, Ash, Hickory. Spice

North between Sec. 31 &amp; 32

40.00 set q. sec. post from which

a Beech 15 in. dia. bears N 67 W 21 M. dint. 8

an Ironwood 8 " " " S 70 E 24 " "

80.00 set post cor. of sec. 30, 29, 31 &amp; 32 from which

a Beech 20 in. dia. bears N 77 W 10 M. dint. 8

an Ironwood 5 " " " S 46 E 9 " "

Land level 2<sup>d</sup> rate. Oak, Ash, Sugar. Spice

East on Random between Sec. 29 &amp; 32

40.00 set temp. q. sec. post

80.00 Intersect N. &amp; S. line at post—

Land 2<sup>d</sup> rate rolling. Beech, Sugar, Ash

West Connected between Sec. 29 &amp; 32

T. 21 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chs. 1<sup>st</sup>

40.00 set of sec. post at aver. dirt. from which  
 a Beech 12 in. dia. bears N 25 E 15 Ws. dirt. &  
 a Do 10 " " " S 20 E 6 " "  
 80.00 to sec. cor.

West between Sec. 30 & 31

40.00 set of sec. post from which  
 an Elm 33 in. dia. bears S 42 W 20 Ws. dirt. &  
 a Do 12 " " " N 60 W 40 " "  
 85.10 Intersect W. Boundary 80 Ws. N. of post -  
 set post at intersection cor. of sec. 30 & 31 from which  
 a Hickory 10 in. dia. bears S 30 E 10 Ws. dirt. &  
 a R. Elm 10 " " " N 55 E 31 " "  
 Land level wet. Ash, Hickory, Elm

North between Sec. 29 & 30

21.50 enter Swamp  
 31.50 leave "  
 40.00 set of sec. post from which  
 an Ash 10 in. dia. bears N 11 W 20 Ws. dirt. &  
 a Beech 15 " " " N 68 E 22 " "  
 56.50 a Brook 10 Ws. wide course E  
 80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
 a W. Elm 30 in. dia. bears S 50 E 8 Ws. dirt. &  
 an Ash 10 " " " S 15 W 11 " "  
 Land level 2<sup>d</sup> rate. Beech, Ash, Oak, Spice

East on Random between Sec. 20 & 29

2.00 a Stream 15 Ws. wide course S E  
 40.00 set temp. of sec. post  
 79.70 Intersect N. S. line 100 Ws. N. of post -  
 Land level 2<sup>d</sup> rate. Beech, Sugar, Ash, Spice

West Connected between Sec. 20 & 29

39.85 set of sec. post at aver. dirt. from which  
 a Hickory 10 in. dia. bears S 53 E 12 Ws. dirt. &

T. 21 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>  
Ch. Lk.

a Buckeye 6 in. dia. bears N 70 W 11 Wks. dist.  
79.70 to sec. cor.

---

West between Sec. 19 & 30

40.00 set g. sec. post from which

an Ironwood 6 in. dia. bears S 50 W 10 Wks. dist. &

an Ash 12 " " " N 30 W 23 " "

46.00 enter wet Prairie

51.50 leave the same

86.10 Intersect W. Boundary 70 Wks. N. of post -

set post at intersection cor. of sec. 19 & 30 from which

a W. Oak 20 in. dia. bears N 20 E 15 Wks. dist. &

a P. Oak 18 " " " S 81 E 48 " "

Land level 2. rate. Oak, Hickory, Ash, Spice

---

North between Sec. 19 & 20

1.50 a creek 50 Wks. wide course S E

40.00 set g. sec. post from which

a Sugar 18 in. dia. bears S 50 E 20 Wks. dist. &

a Beech 10 " " " N 46 W 19 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

an Elm 18 in. dia. bears N 10 W 20 Wks. dist. &

a Sup. Ash 6 " " " N 42 E 10 " "

Land level 2. rate. Beech, Sugar, Ash, Spice

---

East on Random between Sec. 17 & 20

40.00 set temp. g. sec. post

80.00 Intersect N. S. line at post -

Land level wet. Oak, Ash, Beech, Spice

---

West Connected between Sec. 17 & 20

40.00 set g. sec. post at aver. dist from which

an Ash 10 in. dia. bears N 24 W 15 Wks. dist. &

a Ds 8 " " " S 48 W 26 " "

80.00 to sec. cor.

---

T. 21 N., R. 6 E., 2. Mer. Ind. a

Ch. 10.

West between Sec. 18 & 19

24.00 a Brook 10 Ws. wide curve S.

40.00 set q. sec. post from which

a Sup. Ash 10 in. dia. bears S 62° W 15 Ws. dist. 8

an Ash 30 " " " S 70° W 35 " "

86.00 Intersect N. Boundary 6 Ws. S. of post -

set post at intersection cor. of sec. 18 & 19 from which

a W. Elm 18 in. dia. bears N 63° E 40 Ws. dist. 8

a Do 6 " " " S 45° E 12 " "

Land level 2<sup>d</sup> rate. Ash, Oak, Hickory

North between Sec. 17 & 18

40.00 set q. sec. post from which

an Ash 30 in. dia. bears N 20° E 42 Ws. dist. 8

a Beech 20 " " " N 80° W 10 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 18 in. dia. bears N 80° E 24 Ws. dist. 8

a Do 18 " " " S 58° W 27 " "

Land level 2<sup>d</sup> rate. Beech, Ash, Oak, Spice

East in Random between Sec. 8 & 17

40.00 set temp. q. sec. post

80.16 Intersect N. & S. line at post -

Land level 2<sup>d</sup> rate. Beech, Ash, Oak, Spice

West Corrected between Sec. 8 & 17

40.08 set q. sec. post at aver. dist. from which

a Sup. Ash 20 in. dia. bears S 45° W 13 Ws. dist. 8

a Beech 15 " " " N 74° W 30 " "

80.16 to sec. cor.

West between Sec. 7 & 18

40.00 set q. sec. post from which

a Maple 20 in. dia. bears S 20° W 50 Ws. dist. 8

a W. Elm 18 " " " N 35° E 3 " "

85.90 Intersect N. Boundary 10 Ws. N. of post -



T. 21 N., R. 6 E., 2<sup>d</sup> Mer. Ind.?

Ch. Cr.

set post at intersection cor. of Sec. 7 & 8 from which  
an Ironwood 4 in. dia. bears N 65 E 30 W. dist. 4  
a Hickory 10 " " " S 80 E 31 " "  
Land level sweet. Elm, Oak, Ash. Spice

North between Sec. 7 & 8

40.00 set g. sec. post from which  
an Ash 8 in. dia. bears N 51 E 31 W. dist. 4  
" Do 6 " " " N 80 W 16 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which  
a Beech 18 in. dia. bears S 66 E 22 W. dist. 4  
a W. Beech 6 " " " West 20 " "  
Land level 2<sup>d</sup> rate. Beech, Sugar, Ash. Spice

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. post

80.50 Intersect N. S. line 50 W. N. of post -  
Land wet level. Beech, Sugar, Ash. Spice

West Corrected between Sec. 5 & 8

40.25 set g. sec. post at aver. dist. from which  
a Sup. Ash 10 in. dia. bears S 55 W 10 W. dist. 2  
" Do 8 " " " N 44 E 10 " "

80.50 to sec. cor.

West between Sec. 6 & 7

40.00 set g. sec. post from which  
a Beech 20 in. dia. bears N 55 W 20 W. dist. 2  
a W. Oak 10 " " " S 57 W 13 " "

80.50 Intersect W. Boundary 40 W. S. of post -  
set post at intersection cor. of sec. 6 & 7 from which  
a W. Beech 4 in. dia. bears N 82 E 26 W. dist. 2  
a W. Elm 12 " " " S 48 E 48 " "  
Land level sweet. Ash, Oak, Elm.

North between Sec. 5 & 6

T. 21 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Chs. 1<sup>st</sup>

40.00 set of sec. post from which  
an Ash 10 in. diam bears N 13 E 12 1/2 Ws. dist. 2  
an R. Oak — " " " N 54 W 33 " "  
T. 21 N. Intersect N. Boundary 300 Ws. E. of post —  
set post at intersection cor. of sec. 5 & 6 from which  
a Maple 13 in. diam. bears S 18 W 33 Ws. dist. 2  
an Elm 6 " " " S 76 E 12 " "  
Land level & wet. Ash, Oak, Maple, Spruce.  
Surveyed in 1824 by  
James Worthington,  
Deputy Surveyor.

---

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 21  
North, of Range N. 6 East of the 2<sup>d</sup> Principal  
Meridian in the State of Indiana, has been  
compared with the original on file in this  
office, and found to be correct.  
Surveyor General's Office,  
Cincinnati, February 13, 1845 }  
William Johnston  
Sur. Genl.

# INDEX MAPS.

## T.21N. R. 6 E . 2<sup>d</sup> Mer.

*171*  
*S. Boundary of Reserve.*

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

## T.22N. R. 6 E . 2<sup>d</sup> Mer.

<i>177</i>	<i>178</i>	<i>178</i>	<i>179</i>	<i>179</i>	<i>179</i>	
<i>182</i> 6	<i>209</i> 5	<i>202</i> 4	<i>197</i> 3	<i>192</i> 2	<i>187</i> 1	<i>177</i>
<i>208</i>	<i>208</i>	<i>201</i>	<i>196</i>	<i>192</i>	<i>187</i>	
<i>182</i> 7	<i>207</i> 8	<i>201</i> 9	<i>196</i> 10	<i>191</i> 11	<i>186</i> 12	<i>177</i>
<i>207</i>	<i>206</i>	<i>200</i>	<i>196</i>	<i>191</i>	<i>186</i>	
<i>181</i> 18	<i>206</i> 17	<i>200</i> 16	<i>195</i> 15	<i>191</i> 14	<i>186</i> 13	<i>176</i>
<i>206</i>	<i>205</i>	<i>199</i>	<i>195</i>	<i>190</i>	<i>185</i>	
<i>181</i> 19	<i>205</i> 20	<i>199</i> 21	<i>194</i> 22	<i>190</i> 23	<i>184</i> 24	<i>176</i>
<i>204</i>	<i>204</i>	<i>199</i>	<i>194</i>	<i>189</i>	<i>184</i>	
<i>180</i> 30	<i>203</i> 29	<i>198</i> 28	<i>194</i> 27	<i>189</i> 26	<i>183</i> 25	<i>175</i>
<i>203</i>	<i>202</i>	<i>198</i>	<i>193</i>	<i>188</i>	<i>183</i>	<i>175</i>
<i>180</i> 31	<i>202</i> 32	<i>197</i> 33	<i>193</i> 34	<i>188</i> 35	<i>183</i> 36	<i>175</i>
<i>175</i>			<i>S. Boundary of Reserve.</i>			

The figures on the lines refer to the page.

Township No. 2 N. Range No. 6 E. 2<sup>nd</sup> Mer. Indiana. 171.  
ch. 16.

Resurvey of that portion of North  
Boundary within the Miami Reserve

Var. 4<sup>th</sup> 35' E.

"Witness" Cor. to Towns 21 & 22 N. R. 5 & 6 E.  
a Beech 10 in diam. B. N. 72 W. 4 lks. dir.  
a Sugar 10 " " " N. 52 E. 5 " "

189.19' E. On S. Boundary of Sec. 31. T. 22 N. R. 6 E.

17.20 a W. Oak 30 in. diam.

112.80 1<sup>st</sup> 2<sup>nd</sup> Sec. post p. wh.

a Beech 9 in. diam. B. N. 66 E. 24 lks. dir.

a Do 8 " " " N. 26 W. 14 " "

45.110 Intervetia Reserve Line at post - and  
took new bearings

a Beech 8 in. diam. B. N. 83 E. 34 lks. dir.

a Do 6 " " " N. 40 W. 59 " "

Land line first rate - Beech.  
Lym. Sugar. Ash. Oak. Elder -  
Dec. 4 1846.

---

Survey of that Portion of  
West Boundary within the Reserve

Var.

N. 5' W. On E. Boundary of Sec. 1. T. 21 N. R. 5 E.

From S. Boundary of Reserve

7.93 Intervetia Town Cor. at post p. wh.

a Beech 10 in. diam. B. N. 72 W. 4 lks.

a Sugar 10 " " " N. 52 E. 5 " "

Land line first rate  
Beech. Lym. Ash. -

Surveyed Dec. 1846 by  
John Mullitt

Deft. Surveyor -

Note by Recorder -

It will be perceived,  
that there is no any Subdivision -

---

T. 21 N. R. 6 E. 2<sup>nd</sup> Mer. Indiana.

I certify that the foregoing  
Transcript of the Field Note of  
Township No. 21 N. Range No. 6,  
E. 2<sup>nd</sup> Meridian Indiana  
has been compared with the  
Original Note in this Office,  
and found to be correct.  
Surveyor Genl. Office  
Detroit Nov. 1. 1849 J.

Sw. Genl.